

BRAVILOR[®] **BONAMAT**

FTY
504236
BRAVILOR BONAMAT BV
Pascalstraat 20
NL-1704 RD Heerhugowaard
P.O.Box 188
NL-1700 AD Heerhugowaard
The Netherlands
tel.: *31 (0)72 57 51 751
fax.: *31 (0)72 57 51 758
e-mail: info@bravilor.com
internet: www.bravilor.com

SAFETY DATA SHEET IN ACCORDANCE WITH 91/155/EEC

Page 1 of 4

DATASHEET RENEGITE

1. Identification of the substance

- 1.1 Trademark :- RENEGITE
1.2 Description :- Sulphamic Acid (solid)
1.3 Distributed by :- Bravilor Bonamat B.V. Pascalstraat 20
:- NL-1704 RD Heerhugowaard (The Netherlands)
:- Tel. *31 (0)72 5751751
:- Fax. *31 (0)72 5751758

2. Composition / information on ingredients

- 2.1 Description :- Sulphamic Acid (~100%) (Syn.: Aminosulfinic Acid)
2.2 Formula :- H₂NSO₃H
2.3 MM :- 97.09 g/mol
2.4 CAS. No. :- 5329-14-6
2.5 EEC. No. :- 016-026-00-0
2.6 Einecs No. :- 226-218-8

3. Hazards identification

- 3.1 Health hazards :- Irritating to the eyes and skin
3.2 Ecology :- Harmful to aquatic organisms
:- May cause long-term adverse effects in the aquatic environment
3.3 Fire hazard :- Non combustible

4. First aid measures

- 4.1 After skin contact :- Wash off with plenty of water / shower
:- Remove contaminated clothing
:- Do not remove clothing in case this sticks to the skin
:- Cover wounds in a sterile way
4.2 After contact with the eyes :- Rinse out with plenty of water with the eyelids held wide open
:- Summon the help of an ophthalmologist
:- Do not use a chemical neutralising agent
4.3 After inhalation :- Let the victim breathe fresh air
4.4 After swallowing :- Rinse the mouth with plenty of water
:- Make the victim drink plenty of water
:- Try to prevent vomiting of the victim
:- Do not give a chemical antidote
:- Summon medical help immediately
:- Ingestion of large quantities: transport to hospital immediately
:- Show the package / vomit to the doctor / in the hospital

5. Fire-fighting measures

- 5.1 Suitable extinguishing media :- In adaptation to materials stored in the immediate neighbourhood
5.2 Special risks :- Development of hazardous combustion gases or vapours is possible
in the event of fire
5.3 Special protecting clothing :- Do not stay in the danger zone without suitable chemical protection
clothing and self contained breathing apparatus
5.4 Other information :- Contain escaping vapours with water
:- Prevent fire-fighting water from entering surface water or groundwater

VHH

Date of print: 17 July 2015

DATASHEET RENEGITE

6. Accidental release measures

- 6.1 Person related precautions : - Avoid generation of dust
- Do not inhale dust
- Avoid substance contact
- 6.2 Procedures for cleaning / absorption : - Take up dry
- Forward for disposal
- Clean up affected area with plenty of water
- Clean the clothing and material used afterward
- 6.3 Environment : - Prevent the substance from entering in the environment

7. Handling and storage

- 7.1 Handling : - No additional requirements
- 7.2 Storage : - Store in a dry place
- Store in tightly closed container
- Storage temperature at +15° C to 25° C
- The data on storage temperature applies to the entire pack
- 7.3 Keep away from : - Heat sources
- oxidising agents
- (strong) bases
- easy combustible materials
- metals
- halogens

8. Personal Protection / exposure protection

- 8.1 Personal protective equipment:
- Respiratory protection : - Required when dusts are generated
- Eye protection : - Required
- Hand protection : - Required
- Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substance handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.
- 8.2 Industrial hygiene : - Change contaminated clothing
- Application of skin-protective barrier cream is recommended
- Wash hands after working with the substance

9. Physical and chemical properties

- Form : - Solid
- Colour : - White
- Odour : - Odourless
- Melting temperature : - 205°C (decomposition)
- Boiling temperature : - Not available
- Density : - 2130 kg/m³
- Bulk density : - ~600 kg/m³
- Solubility in water : - 213 g/l (at 20° C)
- 470 g/l (at 80° C)
- pH : - 1.18 (1 g/100 ml_{water} at 25° C)
- Thermal decomposition : - 209 ° C

BRAVILOR[®] BONAMAT

BRAVILOR BONAMAT BV
Pascalstraat 20
NL-1704 RD Heerhugowaard
P.O.Box 188
NL-1700 AD Heerhugowaard
The Netherlands
tel.: +31 (0)72 57 51 751
fax.: +31 (0)72 57 51 758
e-mail: info@bravilor.com
internet: www.bravilor.com

SAFETY DATA SHEET IN ACCORDANCE WITH 91/155/EEC

Page 3 of 4

DATASHEET RENEGITE

10 Stability and reactivity

- 10.1 Conditions to be avoided : - Strong heating
- 10.2 Substances to be avoided : - Halogens
 - Alkalis
 - Oxidising agents (i.e. Nitrates, Nitrites, Nitric acids)
 - Metals with water
- 10.3 Hazardous decomposition products : - In the event of fire: Ammonia, Nitrous gases, Sulphur oxides

11. Toxicological information

- 11.1 Acute Toxicity : - LD50 (oral rat): 3160 mg/kg
- 11.2 Specific symptoms with animal tests : - Eye irritation test: strong irritant effect
 - Skin irritation test: strong irritant effect
- 11.3 Further toxicological information : - After inhalation of dust: irritation in the respiratory tract, coughing, dyspnoea
 - After skin contact: irritant effect
 - After eye contact: strong irritant effect
 - After swallowing: irritation of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract
- 11.4 Over sensitiveness : - No sensitising effect
- 11.5 Further information : - The product should be handled with the care usual when dealing with chemicals

12. Ecological information

- 12.1 Ecotoxic effects : - Quantitative data on the ecological effects of this product are not available
- 12.2 Biological effects : - Harmful effect on aquatic organisms
 - Harmful effect due to pH-shift
- 12.3 Further ecological data : - May cause long-term adverse effects in aquatic environments
 - Do not allow to enter waters, waste water or soil
 - When handled and used competently no ecological problems are to be expected

13. Disposal considerations

- 13.1 Product : - There are no uniform EC-regulations for the disposal of chemicals or residues. Chemical residues in general count as special waste, the disposal of which is regulated in the EC member states through harmonised laws and regulations. We recommend that the authorities in charge or an approved disposal company is contacted to advice on how to dispose of this special waste.
- 13.2 Packaging : - Handle contaminated packaging in the same way as the substance itself
 - Disposal in compliance with the official regulations
 - If not specified differently, non contaminated packaging may be treated like household waste or re-cycled

DATASHEET RENEGITE

14. Transport information

14.1 Transport over land ADR/RID and GGVS/GGVE (Germany)

VS/GGVE class	: - 8	Number and letter	: - 16c
GG ADR/RID class	: - 8	Number and letter	: - 16c
Marking	: - 2967 Sulfaminsäure		

14.2 Transport by inland vessel ADN/ADNR

No data available

14.3 Transport over sea IMDG/GGVS (sea)

IMDG/GGVS - class	: - 8	UN - number	: - 2967
EMS	: - 8-08	MFAG	: - 700
Correct technical marking	: - SULPHAMIC ACID	Packaging group	: - III

14.4 Transport by air ICAO-TI en IATA-DGR

ICAO/IATA - class	: - 8	UN- / ID- number	: - 2967
Correct technical name	: - SULPHAMIC ACID	Packaging group	: - III

14.5 The transport regulations are cited according to international regulations and in the form applicable in Germany (GGVS/GGVE). Possible national deviations in other countries are not considered.

15. Regulatory information

15.1 Hazard symbol	: - Xi	- Irritating
15.2 R-phrases	: - 36/38 - 52/53	- Irritating to eyes and skin - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
15.3 S-phrases	: - (2) 26 - 28 - 61	- (Keep out of reach of children) In case of contact with eyes, rinse immediately with plenty of water and seek medical advice - After contact with the skin, wash immediately with plenty of water - Avoid release to the environment. Refer to special instructions/ safety data sheets
15.4 NOTE	:	
15.5 EEC LIST	: - EC no. 226-218-8 (EC label)	
15.6 German regulations		
Water pollution class	: - 1 (slightly polluting substance) (own classification)	

16. Additional information

Date of issue : - 06 March 2002

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product. The receiver and the users of the product are responsible for a proper use in conformity with the existing legislation and regulations.