

Safety Data Sheet According to Regulation (EC) No 1907/2006

Taski Sani Des J-flex W9a

Revision: 2014-10-08 Version: 07.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Taski Sani Des J-flex W9a

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses:

For professional use only.

AISE-P314 - Surface disinfectant. Manual process

AISE-P315 - Surface disinfectant. Spray and rinse manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: MSDSinfoUK@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled in accordance with Regulation (EC) No 1272/2008.

Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Met. Corr. 1 (H290)

Classification in accordance with Directive 1999/45/EC and corresponding national legislation Indication of danger

Xi - Irritant

N - Dangerous for the environment

Risk phrases:

R38 - Irritating to skin.

R41 - Risk of serious damage to eyes.

R50 - Very toxic to aquatic organisms.

2.2 Label elements



Signal word: Danger

Contains alkyldimethylbenzylammoniumchloride (Cocoalkonium Chloride), alkyl alcohol ethoxylate (Trideceth-8). EUH208: benzyl salicylate (Benzyl Salicylate)



Hazard statements:

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

EUH208 - May produce an allergic reaction.

H410 - Very toxic to aquatic life with long lasting effects.

H290 - May be corrosive to metals.

Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Classification (1999/45/EC) | Notes | Weight percent |
|---|-----------|------------|-------------------|---|--------------------------------|-------|----------------|
| alkyldimethylbenzylammoniumc hloride | 270-325-2 | 68424-85-1 | No data available | Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Xn;R21/22 C;R34 N;R50 | | 3-10 |
| alkyl alcohol ethoxylate | Polymer* | 69011-36-5 | [4] | Acute Tox. 4 (H302) Eye Dam. 1 (H318) | Xn;R22 Xi;R41 | | 3-10 |
| sodium carbonate | 207-838-8 | 497-19-8 | 01-2119485498-19 | Eye Irrit. 2 (H319) | Xi;R36 | | 1-3 |
| benzyl salicylate | 204-262-9 | 118-58-1 | No data available | Skin Sens. 1B (H317) Aquatic Chronic 2 (H411) | Xi;R43 N;R51/53 | | 0.1-1 |

^{*} Polymer.

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated

clothing and wash it before re-use. If skin irritation occurs: Get medical advice or attention.

Eye contact: Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or

physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes irritation.

Eye contact:Ingestion:
Causes severe or permanent damage.
No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

| DNEL drai exposure - Consumer (mg/kg bw) | LE dial exposure - Consumer (mg/kg bw) | | | | |
|--|--|-------------------------------|---------------------------|------------------------------|--|
| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects | |
| alkyldimethylbenzylammoniumchloride | No data available | No data available | No data available | No data available | |
| alkyl alcohol ethoxylate | No data available | No data available | No data available | No data available | |
| sodium carbonate | No data available | No data available | No data available | No data available | |
| benzyl salicylate | No data available | No data available | No data available | No data available | |

DNEL dermal exposure - Worker

| DNEL demai exposure - worker | | | | |
|-------------------------------------|----------------------------|--|---------------------------|---|
| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
| alkyldimethylbenzylammoniumchloride | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | No data available | No data available | No data available | No data available |
| sodium carbonate | No data available | No data available | No data available | No data available |
| benzyl salicylate | No data available | No data available | No data available | No data available |

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-------------------------------------|----------------------------|--|---------------------------|---|
| alkyldimethylbenzylammoniumchloride | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | No data available | No data available | No data available | No data available |

| sodium carbonate | No data available | No data available | No data available | No data available |
|-------------------|-------------------|-------------------|-------------------|-------------------|
| benzyl salicylate | No data available | No data available | No data available | No data available |

DNEL inhalatory exposure - Worker (mg/m3)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyldimethylbenzylammoniumchloride | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | No data available | No data available | No data available | No data available |
| sodium carbonate | No data available | No data available | 10 | No data available |
| benzyl salicylate | No data available | No data available | No data available | No data available |

DNEL inhalatory exposure - Consumer (mg/m3)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyldimethylbenzylammoniumchloride | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | No data available | No data available | No data available | No data available |
| sodium carbonate | 10 | No data available | No data available | No data available |
| benzyl salicylate | No data available | No data available | No data available | No data available |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|-------------------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| alkyldimethylbenzylammoniumchloride | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | No data available | No data available | No data available | No data available |
| sodium carbonate | No data available | No data available | No data available | No data available |
| benzyl salicylate | No data available | No data available | No data available | No data available |

Environmental exposure - PNEC, continued

| | Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|---|-------------------------------------|------------------------------|-----------------------------|-------------------|-------------------|
| | alkyldimethylbenzylammoniumchloride | No data available | No data available | No data available | No data available |
| | alkyl alcohol ethoxylate | No data available | No data available | No data available | No data available |
| | sodium carbonate | No data available | No data available | No data available | No data available |
| Π | benzyl salicylate | No data available | No data available | No data available | No data available |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166).

Hand protection: Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves

supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection:No special requirements under normal use conditions. **Respiratory protection:**No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 2

Appropriate engineering controls: Use only in well ventilated areas.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product.

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection:

Respiratory protection:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

9.1 Information on basic physical and chemical properties

SECTION 9: Physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Clear, Red
Odour: Slightly perfumed
Odour threshold: Not applicable

pH: ≈ 11 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|-------------------------------------|-------------------|------------------|----------------------------|
| alkyldimethylbenzylammoniumchloride | > 107 | Method not given | |
| alkyl alcohol ethoxylate | > 200 | Method not given | |
| sodium carbonate | 1600 | Method not given | 1013 |
| benzyl salicylate | No data available | | |

Method / remark

Flash point (°C): Not applicable.
Sustained combustion: Not determined
Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|-------------------------------------|-------------------|------------------|---------------------|
| alkyldimethylbenzylammoniumchloride | No data available | Method not given | 20 |
| alkyl alcohol ethoxylate | Negligible | Method not given | 20-25 |
| sodium carbonate | Negligible | | |
| benzyl salicylate | No data available | | |

Method / remark

Vapour density: Not determined Relative density: 1.05 g/cm³ (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|-------------------------------------|-------------------|------------------|---------------------|
| alkyldimethylbenzylammoniumchloride | Soluble | Method not given | |
| alkyl alcohol ethoxylate | Soluble | Method not given | 20 |
| sodium carbonate | 210-215 | Method not given | 20 |
| benzyl salicylate | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not determined

Viscosity: Not determined

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Corrosive Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Dermal (mg/kg): >2000

Skin irritation and corrosivity

Result: Skin irritant 2 Method: Weight of evidence

Substance data, where relevant and available, are listed below.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|-------------------------------------|----------|----------------------|---------|------------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | LD 50 | 398 | Rat | Method not given | |
| alkyl alcohol ethoxylate | LD 50 | > 300 - 2000 | Rat | OECD 423 (EU B.1 tris) | |
| sodium carbonate | LD 50 | 2800 | Rat | Method not given | |
| benzyl salicylate | | No data available | | | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|-------------------------------------|----------|----------------------|---------|------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | LD 50 | 800 - 1420 | Rat | Method not given | |
| alkyl alcohol ethoxylate | LD 50 | > 2000 | Rabbit | Method not given | |
| sodium carbonate | LD 50 | > 2000 | Rabbit | Method not given | |
| benzyl salicylate | | No data available | | | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-----------------|---------|-------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | | No data | | | time (m) |
| aikyidiineiriyiberizyianimoniumchionde | | | | | |
| | | available | | | |
| alkyl alcohol ethoxylate | | No data | | | |
| | | available | | | |
| sodium carbonate | LC 50 | 2.3 (dust) | Rat | OECD 403 (EU B.2) | 2 |
| benzyl salicylate | | No data | | | |
| | | available | | | |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------------|-------------------|---------|-------------------|---------------|
| alkyldimethylbenzylammoniumchloride | Corrosive | | Method not given | |
| alkyl alcohol ethoxylate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| sodium carbonate | Not irritant | Rabbit | Method not given | |
| benzyl salicylate | No data available | | | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------------|-------------------|---------|------------------|---------------|
| alkyldimethylbenzylammoniumchloride | Severe damage | | Method not given | |
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Method not given | |
| sodium carbonate | Irritant | Rabbit | Method not given | |
| benzyl salicylate | No data available | | | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------------|-------------------|---------|--------|---------------|
| alkyldimethylbenzylammoniumchloride | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |
| sodium carbonate | No data available | | | |
| benzyl salicylate | No data available | | | |

SensitisationSensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|-------------------------------------|-------------------|------------|------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | Not sensitising | | Method not given | |
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | Method not given | |
| sodium carbonate | Not sensitising | | Method not given | |
| benzyl salicylate | No data available | | | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------------------|-------------------|---------|--------|---------------|
| alkyldimethylbenzylammoniumchloride | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |
| sodium carbonate | No data available | | | |
| benzyl salicylate | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

| Mutagenicity | | | , | |
|-------------------------------------|--|--------------|---------------------------------------|------------|
| Ingredient(s) | Result (in-vitro) | Method | Result (in-vivo) | Method |
| | | (in-vitro) | | (in-vivo) |
| alkyldimethylbenzylammoniumchloride | No evidence for mutagenicity, negative | OECD 471 (EU | No data available | |
| | test results | B.12/13) | | |
| alkyl alcohol ethoxylate | No evidence of genotoxicity, negative | Method not | No evidence of genotoxicity, negative | Method not |
| | test results | given | test results | given |
| sodium carbonate | No data available | | No data available | |
| benzyl salicylate | No data available | | No data available | |

Carcinogenicity

| Ingredient(s) | Effect | | |
|-------------------------------------|---|--|--|
| alkyldimethylbenzylammoniumchloride | No data available | | |
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, weight-of-evidence | | |
| sodium carbonate | No evidence for carcinogenicity, weight-of-evidence | | |
| benzyl salicylate | No data available | | |

Toxicity for reproduction

| TOXICITY FOR TEPTOGUCTION | | | | | | | |
|---------------------------|----------|---------------------|--------------|---------|-----------|----------|---------------------------|
| Ingredient(s) | Endpoint | Specific effect | Value | Species | Method | Exposure | Remarks and other effects |
| | | | (mg/kg bw/d) | | | time | reported |
| alkyldimethylbenzylam | | | No data | | | | |
| moniumchloride | | | available | | | | |
| alkyl alcohol ethoxylate | NOAEL | Teratogenic effects | > 50 | Rat | Not known | | |
| sodium carbonate | | | No data | | | | |
| | | | available | | | | |
| benzyl salicylate | | | No data | | | | |
| | | | available | | | | |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Specific effects and organs |
|---------------|----------|--------------|---------|--------|-------------|-----------------------------|
| | | (ma/ka bw/d) | | | time (days) | affected |

| alkyldimethylbenzylammoniumchloride | No data | | |
|-------------------------------------|-----------|--|--|
| | available | | |
| alkyl alcohol ethoxylate | No data | | |
| | available | | |
| sodium carbonate | No data | | |
| | available | | |
| benzyl salicylate | No data | | |
| · | available | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------------|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| sodium carbonate | | No data available | | | | |
| benzyl salicylate | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------------------|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| sodium carbonate | | No data available | | | | |
| benzyl salicylate | | No data available | | | | |

| Chronic toxicity | | | | | | | | |
|---|----------|----------|----------------------|---------|------------------|-------------|----------------------|--------|
| Ingredient(s) | Exposure | Endpoint | Value | Species | Method | Exposure | Specific effects and | Remark |
| | route | | (mg/kg bw/d) | | | time | organs affected | |
| alkyldimethylbenzylam moniumchloride | | | No data available | | | | | |
| alkyl alcohol ethoxylate | Oral | NOAEL | 50 | Rat | Method not given | 24 month(s) | | |
| sodium carbonate | | | No data available | | | | | |
| benzyl salicylate | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|-------------------------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | No data available |
| alkyl alcohol ethoxylate | No data available |
| sodium carbonate | No data available |
| benzyl salicylate | No data available |

STOT-repeated exposure

| CTCT Topodiou expectate | |
|-------------------------------------|-------------------|
| Ingredient(s) | Affected organ(s) |
| alkyldimethylbenzylammoniumchloride | No data available |
| alkyl alcohol ethoxylate | No data available |
| sodium carbonate | No data available |
| benzyl salicylate | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | |
|---------------|----------|--------|---------|--------|----------|---|
| | | (mg/l) | | | time (h) | ı |

| alkyldimethylbenzylammoniumchloride | LC 50 | 0.85 | Fish | Method not given | 96 |
|-------------------------------------|-------|-----------|-----------------|------------------|----|
| alkyl alcohol ethoxylate | LC 50 | 1 - 10 | Cyprinus carpio | OECD 203 | 96 |
| sodium carbonate | LC 50 | 300 | Lepomis | Method not given | 96 |
| | | | macrochirus | | |
| benzyl salicylate | | No data | | | |
| | | available | | | |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------------|----------|----------------------|-------------------------|------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | EC 50 | 0.02 | Daphnia | Method not given | 48 |
| alkyl alcohol ethoxylate | EC 50 | 1 - 10 | Daphnia magna Straus | OECD 202, static | 48 |
| sodium carbonate | EC 50 | 265 | Daphnia magna Straus | Method not given | 96 |
| benzyl salicylate | | No data available | | | |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------------------|----------|----------------------|--|------------------|-------------------|
| alkyldimethylbenzylammoniumchloride | EC 50 | 0.06 | Pseudokirchner iella subcapitata | OECD 201 | 96 |
| alkyl alcohol ethoxylate | EC 50 | 1 - 10 | Desmodesmus subspicatus | OECD 201, static | 72 |
| sodium carbonate | | No data available | | | |
| benzyl salicylate | | No data available | | | |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|-------------------------------------|----------|----------------------|---------|--------|----------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | |
| alkyl alcohol ethoxylate | | No data available | | | |
| sodium carbonate | | No data available | | | |
| benzyl salicylate | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|-------------------------------------|----------|----------------------|------------------|--------------------|---------------|
| alkyldimethylbenzylammoniumchloride | EC 20 | 10 | Activated sludge | OECD 209 | 0.5 hour(s) |
| alkyl alcohol ethoxylate | EC 10 | > 10000 | Activated sludge | DIN 38412 / Part 8 | 17 hour(s) |
| sodium carbonate | | No data available | | | |
| benzyl salicylate | | No data available | | | |

Aquatic long-term toxicity
Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|-------------------------------------|----------|----------------------|---------|--------|---------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| sodium carbonate | | No data available | | | | |
| benzyl salicylate | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|-------------------------------------|----------|----------------------|---------|--------|---------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| sodium carbonate | | No data available | | | | |
| benzyl salicylate | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------------------|----------|---------------------------------|---------|--------|----------------------|------------------|
| alkyldimethylbenzylammoniumchloride | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| sodium carbonate | | No data available | | | | |
| benzyl salicylate | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------------|----------------|--------|----------------------|------------------|
| alkyl alcohol ethoxylate | NOEC | 220 | Eisenia fetida | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|-----------------------------|---------------------|----------|----------------------|------------------|
| alkyl alcohol ethoxylate | NOEC | 10 | Lepidium sativum | OECD 208 | | |

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|------------------|----------------------------------|--------|----------------------|--------|
| sodium carbonate | No data available | | Rapidly hydrolysible | |

Abiotic degradation - other processes, if available:

BiodegradationReady biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|-------------------------------------|----------|----------------------------|------------------------|-----------|--------------------------------------|
| alkyldimethylbenzylammoniumchloride | | Oxygen depletion | > 60% | OECD 301D | Readily biodegradable |
| alkyl alcohol ethoxylate | | CO ₂ production | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |
| sodium carbonate | | | | | Not applicable (inorganic substance) |
| benzyl salicylate | | | | | No data available |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|-------------------------------------|-------------------|------------------|-----------------------------|--------|
| alkyldimethylbenzylammoniumchloride | 0.5 - 1.58 | Method not given | No bioaccumulation expected | |
| alkyl alcohol ethoxylate | No data available | | | |
| sodium carbonate | No data available | | No bioaccumulation expected | |
| benzyl salicylate | No data available | | | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---|-------------------|---------|------------------|-----------------------------|--------|
| alkyldimethylbenzylam moniumchloride | 0.5 | | Method not given | No bioaccumulation expected | |
| alkyl alcohol ethoxylate | No data available | | | | |
| sodium carbonate | No data available | | | No bioaccumulation expected | |
| benzyl salicylate | No data available | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|-------------------------------------|--------------------------------------|---|--------|-----------------------|--|
| alkyldimethylbenzylammoniumchloride | No data available | | | | |
| alkyl alcohol ethoxylate | No data available | | | | Immobile in soil or sediment |
| sodium carbonate | No data available | | | | Potential for mobility in soil, soluble in water |
| benzyl salicylate | No data available | _ | | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADR, RID, ADN, IMO/IMDG, ICAO/IATA

14.1 UN number: 3267

14.2 UN proper shipping name:

Corrosive liquid, basic, organic, n.o.s. (trisodium citrate, alkyldimethylbenzylammoniumchloride)

14.3 Transport hazard class(es):

Class: 8 Label(s): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C7
Tunnel restriction code: E
Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants 5 - 15%

disinfectants, perfumes, Benzyl Salicylate, Hexyl Cinnamal, Butylphenyl Methylpropional, Limonene, Alpha-Isomethyl Ionone

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

MSDS code: MSDS4444 Version: 07.0 Revision: 2014-10-08

Reason for revision:

Overall design adjusted in accordance with Amendment 453/2010, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 8

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the R, H and EUH phrases mentioned in section 3:

- H302 Harmful if swallowed. H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
- R21 Harmful in contact with skin.
- R22 Harmful if swallowed.
- R34 Causes burns.
- R36 Irritating to eyes.
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
 R50 Very toxic to aquatic organisms.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate

End of Safety Data Sheet