



C019 : BREAK

defoamer

Description of product

An additive specially formulated to control detergent foam. Prevents accumulation of foam in wet pick up tanks. A must for carpet hot water extraction machine recovery tanks. Prevents foam clogging pumps and pipelines, restores correct circulation, prevents pumps overheating. Reduces unsightly foam in effluent treatment tanks.

Product Uses


To prevent and control detergent foam in all applications.

Directions

Detergent solution recovery tanks: Add 50-100 mls of Break to recovery tank before commencing suction operation. Pumping systems: Add Break as required to prevent foam build up in pumps and pipelines. Effluent: Drip feed into effluent drain to control foam level.

iN Insight Supported

iN Insight is Selden's interactive product selection and training system. Enables the user to create full COSHH training kits, wallcharts, task cards and more. visit <http://www.selden.co.uk/in insight>



iN Insight recommended product uses

Carpet - de-foaming	typical dilution
Flooring - de-foaming	see label

Product Hazards and PPE Requirements

Contains : Benzisothiazolinone

Risk Phrases
Contains Benzisothiazolinone May produce an allergic reaction.

Safety Phrases

Technical Data

Composition A blend of mineral and silicone oils, emulsifying agents, stabilisers and preservatives in an easy to use emulsion form

Appearance Opaque emulsion

Colour White

Viscosity 100 cps

Density 1.000

pH 7.5

Fragrance Negligible

Stability 2 years stored in unopened containers in ambient temperatures. Shake before use.

Storage Protect from freezing.

Environmental Profile

Biodegradability
All surfactants contained in Selden Products meet the requirements of the EU Detergent Directive 2005 – 2004/648/EC. This requires all surfactants to break down both quickly and completely into harmless material such as CO2 and water.

Selden Environmental Charter


- We set ourselves industry leading standards.
- Selden minimises wastage, packaging and transportation.
- If it can be recycled, it will be recycled.
- Our chemicals policy exceeds regulatory requirements.
- We don't expect other people to clean up after us.
- Conserving energy, preserving resources.
- By being innovative, we strive to do better.
- We like to work in partnership with our clients.

Visit our website for more information.

External Accreditations

- 9001 - Quality System
- 14001 - Environmental System
- 18001 - Health & Safety System
- IPPC Certified Manufacturer

Sustainability
Product conforms with the DEFRA endorsed Sustainable Cleaning guidance



COSHH+ Supported

Selden's bespoke COSHH awareness and product training tool. Users specify the products in use and instantly generate a full training pack to enable quick and effective staff training.



www.flagship-mcp.com

Flagship products are those products that are included in Selden Multi-language Cleaning Programme. Flagship products have induction kits, best practise guidance, MSDS, wallcharts and usage guides available in the following languages

- english, french, spanish, portuguese, polish, german, dutch, russian, romanian, estonian, czech, croatian.



UKAS
accredited testing
laboratory No. 4204



SELDEN
formulating
testing
manufacturing
to
the highest
standards

Selden Research Limited

Staden Business Park, Staden Lane, Buxton Derbyshire. SK17 9RZ

Tel : 01298 26226 | Fax : 01298 26540 | Email : info@selden.co.uk | web : www.selden.co.uk

