



TASKI Sprint Flower SD

Revision: 2020-03-22

Version: 05.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Sprint Flower SD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P301 - General purpose cleaner. Manual process

AISE-P302 - General purpose cleaner. Spray and wipe manual process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flam. Liq. 3 (H226)

STOT SE 3 (H336)

Skin Irrit. 2 (H315)

Eye Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) (Methylchloroisothiazolinone, Methylisothiazolinone), sulphonic acids, C14-17-sec-alkane, sodium salts (Sodium C14-17 Alkyl Sec Sulfonate), alkyl alcohol ethoxylate (Trideceth-8), propan-2-ol (Isopropyl Alcohol), citronellol (Citronellol)

Hazard statements:

H226 - Flammable liquid and vapour.

H336 - May cause drowsiness or dizziness.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

EUH208 - May produce an allergic reaction.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P403 + P235 - Store in a well-ventilated place. Keep cool.

TASKI Sprint Flower SD

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|--|-----------|------------|------------------|--|-------|----------------|
| propan-2-ol | 200-661-7 | 67-63-0 | 01-2119457558-25 | Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319) | | 20-30 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | 307-055-2 | 97489-15-1 | 01-2119489924-20 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412) | | 10-20 |
| alkyl alcohol ethoxylate | [4] | 69011-36-5 | [4] | Acute Tox. 4 (H302) Eye Dam. 1 (H318) | | 3-10 |
| 2-phenylethanol | 200-456-2 | 60-12-8 | 01-2119963921-31 | Acute Tox. 3 (H311) Acute Tox. 4 (H302) Eye Irrit. 2 (H319) | | 0.1-1 |

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

| | |
|--|---|
| Inhalation: | Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or physician if you feel unwell. |
| Skin contact: | Take off immediately all contaminated clothing and wash it before reuse. |
| Eye contact: | Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician. |
| Ingestion: | Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell. |
| Self-protection of first aider: | Consider personal protective equipment as indicated in subsection 8.2. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|----------------------|---|
| Inhalation: | May cause drowsiness or dizziness. |
| Skin contact: | Causes irritation. |
| Eye contact: | Causes severe or permanent damage. |
| Ingestion: | No known effects or symptoms in normal use. |

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Turn off all sources of ignition. Ventilate the area. Wear eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

TASKI Sprint Flower SD

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use explosion-proof electrical, ventilating or lighting equipment. Use non-sparking tools.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Take off contaminated clothing before reuse. Store used personal protective equipment separately. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep cool. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

| Ingredient(s) | UK - Long term value(s) | UK - Short term value(s) |
|---------------|----------------------------------|-----------------------------------|
| propan-2-ol | 400 ppm 999 mg/m ³ | 500 ppm 1250 mg/m ³ |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| propan-2-ol | - | - | - | 26 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | - | - | - | 7.1 |
| alkyl alcohol ethoxylate | - | - | - | - |
| 2-phenylethanol | No data available | No data available | No data available | No data available |

DNEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--|-----------------------------|--|-----------------------------|---|
| propan-2-ol | No data available | - | No data available | 888 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | 2.8 mg/cm ² skin | - | 2.8 mg/cm ² skin | 5 |
| alkyl alcohol ethoxylate | - | - | - | - |
| 2-phenylethanol | No data available | No data available | No data available | No data available |

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--|-----------------------------|--|-----------------------------|---|
| propan-2-ol | No data available | - | - | 319 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | 2.8 mg/cm ² skin | - | 2.8 mg/cm ² skin | 3.57 |
| alkyl alcohol ethoxylate | - | - | - | - |
| 2-phenylethanol | No data available | No data available | No data available | No data available |

DNEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| propan-2-ol | - | - | - | 500 |

TASKI Sprint Flower SD

| | | | | |
|--|-------------------|-------------------|-------------------|-------------------|
| sulphonic acids, C14-17-sec-alkane, sodium salts | - | - | - | 35 |
| alkyl alcohol ethoxylate | - | - | - | No data available |
| 2-phenylethanol | No data available | No data available | No data available | No data available |

DNEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| propan-2-ol | - | - | - | 89 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | - | - | - | 12.4 |
| alkyl alcohol ethoxylate | No data available | No data available | - | - |
| 2-phenylethanol | No data available | No data available | No data available | No data available |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--|-----------------------------|------------------------------|---------------------|-------------------------------|
| propan-2-ol | 140.9 | 140.9 | 140.9 | 2251 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | 0.04 | 0.004 | 0.06 | 600 |
| alkyl alcohol ethoxylate | - | - | - | - |
| 2-phenylethanol | No data available | No data available | No data available | No data available |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m ³) |
|--|------------------------------|--------------------------|-------------------|--------------------------|
| propan-2-ol | 552 | 552 | 28 | - |
| sulphonic acids, C14-17-sec-alkane, sodium salts | 9.4 | 0.94 | 9.4 | No data available |
| alkyl alcohol ethoxylate | - | - | - | - |
| 2-phenylethanol | No data available | No data available | No data available | No data available |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (EN 166).

Hand protection:

Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 2

Appropriate engineering controls: Provide a good standard of general ventilation.

Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment**Eye / face protection:**

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

TASKI Sprint Flower SD

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid**Colour:** Clear, Blue**Odour:** Perfumed**Odour threshold:** Not applicable**pH** ≈ 7 (neat)**Dilution pH:** ≈ 7 (2 %)**Melting point/freezing point (°C):** Not determined**Initial boiling point and boiling range (°C):** Not determined**Method / remark**

ISO 4316

ISO 4316

Not relevant to classification of this product

See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--|-------------------|------------------|----------------------------|
| propan-2-ol | 82 | Method not given | 1013 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | > 100 | Method not given | |
| alkyl alcohol ethoxylate | > 200 | Method not given | |
| 2-phenylethanol | No data available | | |

Method / remark**Flammability (liquid):** Flammable.**Flash point (°C):** ≈ 26 °C**Sustained combustion:** Not applicable.*(UN Manual of Tests and Criteria, section 32, L.2)***Evaporation rate:** Not relevant for classification of this product.**Flammability (solid, gas):** Not applicable to liquids**Upper/lower flammability limit (%):** Not determined

Not relevant to classification of this product

See substance data

Substance data, flammability or explosive limits, if available:

| Ingredient(s) | Lower limit (% vol) | Upper limit (% vol) |
|---------------|---------------------|---------------------|
| propan-2-ol | 2 | 13 |

Method / remark**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|--|-------------------|------------------|------------------|
| propan-2-ol | 4200 | Method not given | 20 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | 3000 | Method not given | 25 |
| alkyl alcohol ethoxylate | Negligible | Method not given | 20-25 |
| 2-phenylethanol | No data available | | |

Method / remark**Vapour density:** Not determined**Relative density:** ≈ 0.97 (20 °C)**Solubility in / Miscibility with Water:** Fully miscible

Not relevant to classification of this product

OECD 109 (EU A.3)

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--|-------------------|------------------|------------------|
| propan-2-ol | Soluble | Method not given | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | 500 | Method not given | 25 |
| alkyl alcohol ethoxylate | Soluble | Method not given | 20 |
| 2-phenylethanol | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark**Autoignition temperature:** Not determined**Decomposition temperature:** Not applicable.**Viscosity:** Not determined**Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.**Oxidising properties:** Not oxidising.

DM-006 Viscosity - Additional

9.2 Other information

Surface tension (N/m): Not determined**Corrosion to metals:** Not corrosive

Not relevant to classification of this product

Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--|------------------|---------------|---------|------------------------|-------------------|
| propan-2-ol | LD ₅₀ | 3570 | Rat | Method not given | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | LD ₅₀ | > 500-2000 | Rat | OECD 401 (EU B.1) | |
| alkyl alcohol ethoxylate | LD ₅₀ | > 300-2000 | Rat | OECD 423 (EU B.1 tris) | |
| 2-phenylethanol | LD ₅₀ | 1790 | | | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|--|------------------|---------------|---------|--------------------|-------------------|
| propan-2-ol | LD ₅₀ | > 2000 | Rabbit | Method not given | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | LD ₅₀ | > 2000 | Mouse | Weight of evidence | |
| alkyl alcohol ethoxylate | LD ₅₀ | > 2000 | Rabbit | Method not given | |
| 2-phenylethanol | LD ₅₀ | 2500 | | | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|------------------|-------------------|---------|-------------------|-------------------|
| propan-2-ol | LC ₅₀ | > 25 (vapour) | Rat | OECD 403 (EU B.2) | 6 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | |
| alkyl alcohol ethoxylate | | No data available | | | |
| 2-phenylethanol | | No data available | | | |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|----------------------------------|---------------|
| propan-2-ol | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | Irritant | Rabbit | OECD 404 (EU B.4) Read across | |
| alkyl alcohol ethoxylate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| 2-phenylethanol | No data available | | | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|-------------------|---------------|
| propan-2-ol | Irritant | Rabbit | OECD 405 (EU B.5) | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | Severe damage | | OECD 405 (EU B.5) | |
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Method not given | |
| 2-phenylethanol | No data available | | | |

TASKI Sprint Flower SD

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| propan-2-ol | No data available | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |
| 2-phenylethanol | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--|-------------------|------------|--------------------------------------|-------------------|
| propan-2-ol | Not sensitising | Guinea pig | OECD 406 (EU B.6) / Buehler test | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT Read across | |
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | Method not given | |
| 2-phenylethanol | No data available | | | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| propan-2-ol | No data available | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |
| 2-phenylethanol | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|-----------------------|---|--------------------|
| propan-2-ol | No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results | OECD 471 (EU B.12/13) | No evidence of genotoxicity, negative test results | OECD 474 (EU B.12) |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No evidence for mutagenicity, negative test results | Method not given | No evidence for mutagenicity, negative test results | Method not given |
| alkyl alcohol ethoxylate | No evidence of genotoxicity, negative test results | Method not given | No evidence of genotoxicity, negative test results | Method not given |
| 2-phenylethanol | No data available | | No data available | |

Carcinogenicity

| Ingredient(s) | Effect |
|--|--|
| propan-2-ol | No evidence for carcinogenicity, negative test results |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No evidence for carcinogenicity, negative test results |
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, weight-of-evidence |
| 2-phenylethanol | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--|----------|---------------------|--------------------|---------|-----------|---------------|--|
| propan-2-ol | | | No data available | | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | | No data available | | | | No evidence for reproductive toxicity |
| alkyl alcohol ethoxylate | NOAEL | Teratogenic effects | > 50 | Rat | Not known | | No known significant effects or critical hazards |
| 2-phenylethanol | | | No data available | | | | |

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|--------------------|---------|------------------|----------------------|--------------------------------------|
| propan-2-ol | | No data available | | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | NOAEL | 200 | Rat | Method not given | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| 2-phenylethanol | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| propan-2-ol | | No data available | | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| 2-phenylethanol | | No data available | | | | |

TASKI Sprint Flower SD

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| propan-2-ol | | No data available | | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| 2-phenylethanol | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|--|----------------|----------|--------------------|---------|------------------|---------------|--------------------------------------|--------|
| propan-2-ol | | | No data available | | | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | Oral | NOAEL | > 4000 | Rat | Method not given | | | |
| alkyl alcohol ethoxylate | Oral | NOAEL | 50 | Rat | Method not given | 24 month(s) | Effects on organ weights | |
| 2-phenylethanol | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|--|------------------------|
| propan-2-ol | Central nervous system |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No data available |
| alkyl alcohol ethoxylate | Not applicable |
| 2-phenylethanol | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--|------------------------|
| propan-2-ol | Central nervous system |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No data available |
| alkyl alcohol ethoxylate | Not applicable |
| 2-phenylethanol | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|------------------|-------------------|----------------------------|-------------------|-------------------|
| propan-2-ol | LC ₅₀ | > 100 | <i>Pimephales promelas</i> | Method not given | 48 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | LC ₅₀ | 1 - 10 | <i>Brachydanio rerio</i> | OECD 203, static | 96 |
| alkyl alcohol ethoxylate | LC ₅₀ | 1 - 10 | <i>Cyprinus carpio</i> | OECD 203 (EU C.1) | 96 |
| 2-phenylethanol | | No data available | | | |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|------------------|-------------------|-----------------------------|-------------------|-------------------|
| propan-2-ol | EC ₅₀ | > 100 | <i>Daphnia magna</i> Straus | Method not given | 48 |
| sulphonic acids, C14-17-sec-alkane, sodium salts | EC ₅₀ | 9.81 | <i>Daphnia magna</i> Straus | OECD 202 (EU C.2) | 48 |
| alkyl alcohol ethoxylate | EC ₅₀ | 1 - 10 | <i>Daphnia magna</i> Straus | OECD 202, static | 48 |
| 2-phenylethanol | | No data available | | | |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---------------|------------------|--------------|--------------------------------|------------------|-------------------|
| propan-2-ol | EC ₅₀ | > 100 | <i>Scenedesmus quadricauda</i> | Method not given | 72 |

TASKI Sprint Flower SD

| | | | | | |
|--|------------------|-------------------|--|-------------------|----|
| sulphonic acids, C14-17-sec-alkane, sodium salts | EC ₅₀ | > 61 | <i>Pseudokirchneriella subcapitata</i> | OECD 201 (EU C.3) | 72 |
| alkyl alcohol ethoxylate | EC ₅₀ | 1 - 10 | <i>Desmodesmus subspicatus</i> | OECD 201, static | 72 |
| 2-phenylethanol | | No data available | | | |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--|----------|-------------------|---------|--------|----------------------|
| propan-2-ol | | No data available | | | - |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | - |
| alkyl alcohol ethoxylate | | No data available | | | - |
| 2-phenylethanol | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|--|------------------|-------------------|---------------------------|--------------------|---------------|
| propan-2-ol | EC ₅₀ | > 1000 | <i>Activated sludge</i> | Method not given | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | NOEC | 600 | <i>Pseudomonas putida</i> | DIN 38412 / Part 8 | 16 hour(s) |
| alkyl alcohol ethoxylate | EC ₁₀ | > 10000 | <i>Activated sludge</i> | DIN 38412 / Part 8 | 17 hour(s) |
| 2-phenylethanol | | No data available | | | |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|-------------------|----------------------------|----------|---------------|------------------|
| propan-2-ol | | No data available | | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | NOEC | 0.85 | <i>Oncorhynchus mykiss</i> | OECD 204 | 28 day(s) | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| 2-phenylethanol | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|-------------------|----------------------|----------|---------------|------------------|
| propan-2-ol | | No data available | | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | NOEC | 0.36 | <i>Daphnia magna</i> | OECD 202 | 22 day(s) | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| 2-phenylethanol | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|---------------------------|---------|--------|----------------------|------------------|
| propan-2-ol | | No data available | | | - | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |
| 2-phenylethanol | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------|-----------------------|----------|----------------------|------------------|
| propan-2-ol | | No data available | | | - | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | NOEC | 470 | <i>Eisenia fetida</i> | OECD 222 | 56 | |
| alkyl alcohol ethoxylate | NOEC | 220 | <i>Eisenia fetida</i> | | - | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---------------|----------|-----------------------|---------|--------|----------------------|------------------|
| propan-2-ol | | No data available | | | - | |

TASKI Sprint Flower SD

| | | | | | | |
|--|------|-------------------|-------------------------|----------|---|--|
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | - | |
| alkyl alcohol ethoxylate | NOEC | 10 | <i>Lepidium sativum</i> | OECD 208 | - | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-------------------|---------|--------|----------------------|------------------|
| propan-2-ol | | No data available | | | - | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------|---------|--------|----------------------|------------------|
| propan-2-ol | | No data available | | | - | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------|---------|--------|----------------------|------------------|
| propan-2-ol | | No data available | | | - | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | | No data available | | | - | |
| alkyl alcohol ethoxylate | | No data available | | | - | |

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT ₅₀ | Method | Evaluation |
|--|--------------------------|----------------------------|---------------------|-----------|-----------------------|
| propan-2-ol | | | 95 % in 21 day(s) | OECD 301E | Readily biodegradable |
| sulphonic acids, C14-17-sec-alkane, sodium salts | Activated sludge, aerobe | DOC reduction | 89 % in 28 day(s) | OECD 301E | Readily biodegradable |
| alkyl alcohol ethoxylate | Activated sludge, aerobe | CO ₂ production | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |
| 2-phenylethanol | Activated sludge, aerobe | | 78.61% | OECD 301B | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

| Ingredient(s) | Value | Method | Evaluation | Remark |
|--|-------------------|----------|-----------------------------|--------|
| propan-2-ol | 0.05 | OECD 107 | No bioaccumulation expected | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No data available | | No bioaccumulation expected | |
| alkyl alcohol ethoxylate | - | | No bioaccumulation expected | |
| 2-phenylethanol | No data available | | | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|--|-------------------|---------|--------|-----------------------------|--------|
| propan-2-ol | No data available | | | | |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No data available | | | | |
| alkyl alcohol ethoxylate | - | | | No bioaccumulation expected | |
| 2-phenylethanol | No data available | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log K _{oc} | Desorption coefficient Log K _{oc} (des) | Method | Soil/sediment type | Evaluation |
|---------------|--|--|--------|--------------------|------------|
| | | | | | |

TASKI Sprint Flower SD

| | | | | | |
|--|-------------------|--|--|--|--|
| propan-2-ol | No data available | | | | Potential for mobility in soil, soluble in water |
| sulphonic acids, C14-17-sec-alkane, sodium salts | No data available | | | | |
| alkyl alcohol ethoxylate | No data available | | | | Immobile in soil or sediment |
| 2-phenylethanol | No data available | | | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number: 1987

14.2 UN proper shipping name:

Alcohols, n.o.s. (isopropanol)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 3

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:**ADR**

Classification code: F1

Tunnel restriction code: D/E

Hazard identification number: 30

IMO/IMDG

EmS: F-E, S-D

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: W8W0-90NN-C00Q-AQ60

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants, non-ionic surfactants
perfumes , Citronellol, Benzyl Salicylate, Geraniol, Hexyl Cinnamal, Benzyl Alcohol,

5 - 15 %

TASKI Sprint Flower SD

Methylchloroisothiazolinone, Methylisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1000838

Version: 05.0

Revision: 2020-03-22

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 6, 7, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H225 - Highly flammable liquid and vapour.
- H226 - Flammable liquid and vapour.
- H290 - May be corrosive to metals.
- H301 - Toxic if swallowed.
- H302 - Harmful if swallowed.
- H304 - May be fatal if swallowed and enters airways.
- H311 - Toxic in contact with skin.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H320 - Causes eye irritation.
- H331 - Toxic if inhaled.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H336 - May cause drowsiness or dizziness.
- H360 - May damage fertility or the unborn child.
- H361 - Suspected of damaging fertility or the unborn child.
- H373 - May cause damage to organs through prolonged or repeated exposure.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.
- EUH066 - Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet